	Application No.	Applicant(s)	
	10/738,476	HAKA, RAYMOND J.	
Notice of Allowability	Examiner	Art Unit	
	Dirk Wright	3681	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to			
2. ☑ The allowed claim(s) is/are <u>1 and 2</u> .			
3. 🔀 The drawings filed on 17 December 2003 are accepted by the Examiner.			
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). **Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date (dentifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0) Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal Page 1. Interview Summary Paper No./Mail Date 7. Examiner's Amendm 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	·

Claims Allowed

Claims 1 and 2 are allowable over the prior art of record. The claims are allowed because the prior art does not anticipate nor render obvious the invention of a transmission control apparatus for controlling a plurality of torque transmitting mechanisms comprising three linear actuator apparatus each having a linear actuator for supplying fluid pressure, each actuator having a plurality of electronically controlled valves for connecting an output pressure of the actuator with a respective ones of the torque transmitting mechanisms of the transmission and wherein the actuators are operated in groups of two to establish a plurality of drive ratios in the transmission.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Prior Art Discussed

The references cited by the examiner are deemed pertinent to applicant's disclosure. Kirkwood shows a computer controlled electro-hydraulic device for actuating the speed ratios in a transmission including a plurality of pumps, but does not specify any particular kinds of pump and does not disclose linear actuator apparatus, as well as not having a plurality of valves with each pump.

Art Unit: 3681

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dirk Wright whose telephone number is 703-308-2160. The examiner can normally be reached on Monday through Friday, 8AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Marmor can be reached on 703-308-0830. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dirk Wright
Primary Examiner
Art Unit 3684

DW Monday, March 14, 2005